Section 1. Identification

GHS product identifier: PC-03 Polyurethane Activator

Product number:

Product use: Polyurethane Activator

Restrictions on use: None known Manufacture/Supplier: **Precision Coatings** Address: 1325 W Sunshine, #508 Springfield, MO 65807

Telephone: 417-862-5738

Website: www.precisioncoatingsinc.com

Emergency telephone number: 800-424-9300 Chemtrec Contract CCN675735

Section 2. Hazards identification

OSHA/HCS status: This material is considered hazardous by the OSHA Hazardous Communication

Standard (29 CFR 1910.1200).

Hazard classification:

Physical hazards: Flammable Liquids: Category 3

Health hazards: Skin Irritation: Category 2

Skin Sensitizer: Category 1 Eye Irritation: Category 2

Acute Toxicity/Inhalation: Category 4 Respiratory Sensitizer: Category 1

Specific Target Organ Toxicity (Single Exposure): Category 3, RTI

GHS label elements

Hazard pictograms:



Signal word: Danger

Hazard statements: H226: Flammable liquid and vapor.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

Precautionary statements:

Prevention: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray.

P264: Wash thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection. P284: (in the case of inadequate ventilation) wear respiratory protection.

> Page 1 of 8 SDS Number: PC03 Version 03

Response: P302+P352: IF ON SKIN: Wash with plenty of water.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and east to do. Continue rinsing. P312: Call a POISON CENTER/doctor/physician if you feel unwell. P321: Specific treatment (see first aid section on this label).

P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention. P342+P311: If experiencing respiratory symptoms: Call a POISON

CENTER/doctor/physician

P362+P364: Take off contaminated clothing and wash if before reuse. P370+P378: In case of fire: Use appropriate method to extinguish.

Storage: P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

Disposal: P501: Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC): None known.

Section 3. Composition / Information on Ingredients

 Components:
 CAS #
 Percent

 Parachlorobenzotriflouride
 98-56-6
 50-75

 HDI homopolymer
 28182-81-2
 25-50

Section 4. First aid measures

Eye Contact: Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes,

occasionally lifting and lowering upper lids. Get medical attention promptly.

Skin Contact: Immediately flush skin with plenty of water. Remove clothing. Get medical attention

immediately. Wash clothing separately and clean shoes before reuse.

Inhalation: Rescuers should put on appropriate protective gear. Remove from area of exposure. If

not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

Ingestion: Small amounts which accidentally enter mouth should be rinsed out until taste of it is gone.

Do not induce vomiting. Do not give liquids. Obtain emergency medical attention.

Section 5. Fire-fighting measures

Extinguishing media: Carbon Dioxide, Dry Chemical, Foam, Water Fog

Unusual Fire and Explosion

Hazards: Flammable liquid and vapor. Vapors can travel to a source of ignition and flash

back. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT pressurize, cut, weld, braze, solder, drill, grind, or expose

Page 2 of 8 SDS Number: PC03 Version 03

such containers to heat, flame, sparks, static electricity, or other sources of ignition. Also, do not reuse container without commercial cleaning or reconditioning. Closed container may explode under extreme heat.

Special Firefighting Procedures:

As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear. Evacuate all unnecessary personnel. Shut down motors, pumps, electrical service and eliminates all sources of ignition. Do not use water. Water spray to cool containers or protect personnel. Use with caution.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Steps to be Taken in Case Material is Release or Spilled:

Wear appropriate personal protective equipment (See Exposure Controls / Personal Protection Section). Eliminate all ignition sources. Evacuate unnecessary personnel. Prevent additional discharge of material if able to do so safety. Do not touch or walk through spilled material. Avoid runoff into storm sewers and ditches which lead to waterways. Ventilate spill area. Stay upwind of spill. Do not apply water to the leak. Water fog may be used to suppress vapors. Collect spilled materials for disposal. Use only noncombustible material for clean-up. Use clean, not-sparking tools to collect absorbed materials. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Recover by pumping (use an explosion proof or hand pump). Pump and free liquid into a closed but not sealed container to allow for the escape of any CO2 that forms. Sealing the container may lead to rupture as any contaminated isocyanate reacts. Wash contaminated area with large amounts of water.

Section 7. Handling and storage

Precautions for safe handling: Use only in a well ventilated area. Avoid breathing vapors, fumes or mist.

Avoid contact with eyes, skin and clothing. Material accumulates static charge (ignition source). Ground and bond containers with transferring material. Use spark-proof tools and explosion proof equipment. Always open container slowly to allow excess pressure to vent. After opening, purge container with nitrogen before reclosing. Follow all MSDS/label precautions even after containers are emptied because they may retain product residues.

Conditions for safe storage, including any incompatibilities:

Keep away from heat, spark and flame. Store containers in a cool, well ventilated place. Keep container closed when not in use. Storage under nitrogen atmosphere is recommended. Material reacts with water. Dike storage containers to contain 110% of tank volume. Vent indoor tanks to an outside location so escaping vapors will not contaminate any work area.

Section 8. Exposure controls / personal protection

Control parameters

Occupational Exposure Limits:

Page 3 of 8 SDS Number: PC03 Version 03 Revision Date: 07/25/2022

Components **ACGHI TLV-TWA ACGHI-TLV STEL OSHA PEL-TWA OSHA PEL-CEILING**

Parachlorobenzotrifluoride N.D. N.D. N.D. N.D. HDI homopolymer N.D. N.D. N.D. N.D.

Personal Protection:

NIOSH/MSHA approved respirators may be necessary if airborne concentrations are expected **Respiratory Protection:**

to exceed exposure limits.

Wear impervious gloves to prevent contact with skin. Wear long sleeves when contact is likely **Skin Protection:**

to occur. Wear protective gear as needed – apron, suit, boots.

Use chemical splash goggles and face shield (ANSI Z87.1 or approved equivalent). **Eye/face Protection:**

Facilities storing or utilizing this material should be equipped with an eyewash facility and a Other Protective Equipment:

safety shower.

Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. **Hygienic Practices:**

Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash

hands before eating.

Section 9. Physical & Chemical Properties

Appearance: Clear liquid

Physical state: Liquid

Odor: Typical

Odor Threshold: Not Available

Density, g/cm3: 1.241

Not available pH:

Freeze Point, Fo: Not available

Not available Viscosity:

Partial Solubility in Water:

Explosive Limits, vol. %: Not available

282 - 428 Boiling Range, Fo:

120 Flash Point, Fo:

Not Available **Evaporation rate:**

Not Available Auto-ignition Temp, Fo:

Not Available Vapor pressure:

Not Avaiable Vapor density:

Volatile Organic Compounds

(VOCs) g/l:

Section 10. Chemical stability & reactivity information

Page 4 of 8 SDS Number: PC03

Version 03 Revision Date: 07/25/2022

Chemical stability: No Information

Hazardous

Polymerization: No Information

Conditions to

avoid: Avoid impact, friction, heat, sparks, flame and source of ignition. Avoid static discharge.

Avoid humidity.

Incompatible

materials: Avoid contact with moisture and/or water. Prevent contact with strong oxidizing agents. Keep

away from strong bases. Avoid contact with amines. Keep away from acids. Avoid contact

with alcohols.

Hazardous decomposition products:

Toxic gases/fumes and given off during burning or thermal decomposition. During

combustion carbon monoxide may be formed. During combustion carbon dioxide may be formed. At decomposition temperature, chlorine gas may be emitted. Decomposition releases nitrogen oxides. May release hydrogen chloride under fire conditions. At

decomposition temperature, fluorine gas may be emitted.

Section 11. Toxicological information

<u>Information on toxicological</u> <u>effects</u>

Effects of Overexposure -

Inhalation: Harmful if inhaled. May be irritating to the respiratory system. Certain individuals

will develop sensitization (chemical asthma) which will result in reactions at levels

below the TLV. May cause dizziness and drowsiness.

Effects of Overexposure -

Skin Contact:

Causes skin irritation. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash). Personnel

with pre-existing skin disorders should avoid contact with this product.

Effects of Overexposure -

Eye Contact:

Causes serious irritation to eyes. May cause tearing, redness and discomfort.

Effects of Overexposure -

Ingestion:

Irritating to mouth, throat, and stomach. Ingestion may cause gastrointestinal tract

irritation. Overexposure may cause nausea, diarrhea, and/or vomiting.

Effects of Overexposure –

Chronic Hazards:

Overexposure may cause nervous system damage. Overexposure may cause kidney damage. May cause liver disorder (e.g., edema, proteinuria) and damage.

Significant exposure to this chemical may adversely affect people with chronic

disease of the respiratory system, skin, and/or eyes.

Primary Route(s) of Entry: Eye contact, Ingestion, Inhalation, Skin contact

Acute Toxicity Values: The acute effects of this product have not been tested. Data on individual

components are tabulated below:

Name according to EEC :

Parachlorobenzotriflouride HDI homopolymer Cas Number O

Oral LD50, mg/kg 6,800.0 <u>Dermal LD50, mg/kg</u> > 2,700.0

Vapor LC50, mg/L 33.08

98-56-6 28182-81-2

>5,000

> 2,700.0 N.D. 33.08 N.D.

Section 12. Ecological information

Toxicity

Acute toxicity

Fish Product:

Not available Specified substances: Not available

Aquatic invertebrates

Product: Not available

Chronic toxicity

Fish Not available Product:

Aquatic invertebrates

Product:

Not available

Toxicity to aquatic plants

Product:

Not available

Specified substances: Not available

Persistence and degradability

Biodegradation

Product: Not available

Specified substances: Not available

Biological Oxygen Demand

Product: Not available

Specified substances: Not available

Chemical Oxygen Demand

Product: Not available

Specified substances: Not available

BOD/COD ratio: Not available

Bioaccumulative potential: Not available

Mobility in soil: Not available

Results of PBT and vPvB assessment:

Other adverse effects: Not available

Section 13. Disposal considerations

Disposal methods: Dispose of waste in accordance with all local, state and federal regulations.

Not available

Section 14. Transport information

DOT

Basic shipping requirements:

UN number: UN1866 Proper shipping name: **Resin Solution**

> Page 6 of 8 SDS Number: PC03 Version 03

Hazard class: Flammable Liquid

Labels required:

Additional information:

Packaging exceptions: 150
Packaging non bulk: 173
Packaging bulk: 242

IATA

Basic shipping requirements:

UN Number: 1866

Proper shipping name: Resin Solution

Hazard class: 3
Packing group: III

Section 15. Regulatory information

US federal regulations

OSHA: This product is hazardous according to OSHA 29 CFR

1910.1200

SARA Title III Section 313 - Toxic Chemical: Listed

Substance:

11,6-Hexamethylene Diisocyanate, CAS 822-06-0

SARA Title III Section 302 Extremely hazardous

substances:

None

SARA Title III Section 311/312 Hazard categories: Immediate (acute) health hazard

Delayed (chronic) health hazard

Fire hazard Reactive hazard

Inventory Status

Country(s) or region	Inventory name	On inventory (yes/no)*	
Australia	Australian Inventory of Chemical Substances (AICS)		Yes
Canada	Domestic Substances List (DSL)		Yes
China	Inventory of Existing Chemical Substances in China (IECSC)		Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)		Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)		Yes
Korea	Existing Chemicals List (ECL)		Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)		Yes
United States & Puerto	Toxic Substances Control Act (TSCA) Inventory		Yes

Rico

65:

* A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State Regulations

California Proposition

Warning: This product does not contain a chemical known to the State of California to cause cancer. **Warning:** This product does not contain a chemical known to the State of California to cause birth

defects or other reproductive harm.

Massachusetts RTK: None

New Jersey RTK: None

Pennsylvania RTK: None

Section 16. Other Information

Page 7 of 8 SDS Number: PC03 Version 03

Further

information HMIS® is a registered trade and service mark of the NPCA

HMIS®

ratings: Health: 2

Flammability: 2

Reactivity: 1 – Minimal Hazard Personal Protection: Yes

Disclaimer: The information on this SDS was obtained from sources which we believe to be reliable. However,

the information provided is without warranty, expressed or implied, regarding its correctness. Some of the information presented and conclusions drawn herein are from sources other than direct test data on the product itself. The information and recommendations are offered for the user's consideration and examination and should be used to make independent determination of the methods to safeguard workers and the environment. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For these reasons we do not assume responsibility and expressly disclaim any liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use or disposal of this product. It is the responsibility of the user to comply with all Federal, State and Local laws

and regulations.

Issue date: 01/27/2016